

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	0	"6621528".pn. and decod \$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 15:14
L3	16	@ad< "20010131" and ("725"/\$.ccls. or "348"/\$.ccls.) and (increment\$3 with sub with channel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 16:16
L4	10	@ad< "20010131" and ("725"/\$.ccls. or "348"/\$.ccls.) and (increas\$3 with (sub adj channel))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 16:18
L5	10	4 not 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 16:18
S1	2	((digital with analog with decoder) and ((memory or storage) with (channel adj map)) and ((digital near3 (signal or channel)) with (subchannel or (sub adj channel))) and ((vct or (virtual adj channel adj table)) with correlat\$3 with analog with channel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 08:38
S2	2	((digital with analog with decoder) and ((digital near3 (signal or channel)) with (subchannel or (sub adj channel))) and ((vct or (virtual adj channel adj table)) with correlat\$3 with analog with channel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 08:38

S3	2	(digital with analog with decoder) and ((memory or storage) with (channel adj map)) and ((vct or (virtual adj channel adj table)) with correlat\$3 with analog with channel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 08:38
S4	2	(digital with analog with decoder) and ((vct or (virtual adj channel adj table)) with correlat\$3 with analog with channel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 08:38
S5	2860	vct or (virtual adj channel adj table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 08:38
S6	4	(vct or (virtual adj channel adj table)) with (analog adj channel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 08:40
S7	36	(vct or (virtual adj channel adj table)) with (physical adj channel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 08:40
S8	5	(vct or (virtual adj channel adj table)) with correlat\$3 with (physical adj channel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 08:53
S9	30	(vct or (virtual adj channel adj table)) and (digital with analog with tuner)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 10:26
S10	54	(tuning near3 (up or upward or down or downward)) and (digital with analog with tuner)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 10:27

S11	0	((tuning near3 (up or upward or down or downward)) and (digital with analog with tuner) and (vct or (virtual adj channel adj table)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 10:27
S12	832	((348/731). CCLS	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/10 11:17
S13	3	((channel adj (up or down)) same (vct) same ((sub or minor) adj channel))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/29 13:12
S14	76	((channel adj (up or down)) same ((sub or minor) adj channel))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/29 13:13
S15	54	((channel adj (up or down)) with ((sub or minor) adj channel))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/29 13:13
S16	1	((channel adj (up or down)) with ((sub or minor) adj channel)) and vct and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/29 13:14
S17	26	((channel adj (up or down)) with ((sub or minor) adj channel)) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/29 13:15
S18	2	((channel adj (up or down)) with ((sub or minor) adj channel)) same table) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/29 13:15

S19	16	((((channel near3 (up or down)) with ((sub or minor) adj channel)) same table) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/29 13:16
S20	15	((((channel near2 (up or down)) with ((sub or minor) adj channel)) same table) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/29 14:10
S21	92	((((channel near2 (up or down or increment\$3)) with ((sub or minor) adj channel))) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/29 13:38
S22	0	((((channel near2 (up or down or increment\$3)) with ((sub or minor) adj channel)) same (vct)) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/29 13:38
S23	16	((((channel near2 (up or down or increment\$3)) with ((sub or minor) adj channel)) same (table)) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/29 13:39
S24	1	S23 not S20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/29 13:38
S25	53	((((channel near2 (up or down or increment\$3)) with ((sub or minor or virtual) adj channel)) same (table)) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/29 13:39
S26	2	((((channel near2 (up or down or increment\$3)) with ((sub or minor or virtual) adj channel)) same (vct)) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/29 13:40

S27	11	((((channel near2 (up or down increment\$3 or decrement\$3)) with ((sub or minor) adj channel)) with table) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/29 14:11
S28	93	((((channel near2 (up or down increment\$3 or decrement\$3)) with ((sub or minor) adj channel))) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/29 14:12
S29	22	((((channel near2 (up or down increment\$3 or decrement\$3)) with ((sub or minor) adj channel))) and @ad<"20010131" and ("725"/\$.ccls. or "348"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/29 14:35
S30	6	((((channel near2 (up or down increment\$3 or decrement\$3)) with ((sub or minor virtual) adj channel)) with ((major or physical) adj channel)) and @ad<"20010131" and ("725"/\$.ccls. or "348"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/29 14:43
S31	0	((((channel near2 (up or down increment\$3 or decrement\$3)) with (smallest or largest) with ((sub or minor virtual) adj channel)) with ((major or physical) adj channel)) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/29 15:08
S32	3	((((channel near2 (up or down increment\$3 or decrement\$3)) with (next) with ((sub or minor virtual) adj channel)) with ((major or physical) adj channel)) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/29 14:47
S33	3	((((channel near2 (up or down increment\$3 or decrement\$3)) with "0" with ((sub or minor virtual) adj channel)) with ((major or physical) adj channel)) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/29 14:49

S34	2	S33 not S32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/29 14:48
S35	0	((((channel near2 (up or down increment\$3 or decrement\$3)) with ".0" with ((sub or minor virtual) adj channel)) with ((major or physical) adj channel)) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/29 14:49
S36	0	((((channel near2 (up or down increment\$3 or decrement\$3)) with "\$1".0" with ((sub or minor virtual) adj channel)) with ((major or physical) adj channel)) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/29 14:49
S37	8	((((channel near2 (up or down increment\$3 or decrement\$3)) with "\$2"0" with ((sub or minor virtual) adj channel)) with ((major or physical) adj channel)) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/29 14:57
S38	0	((((channel near2 (up or down increment\$3 or decrement\$3)) with ((highest or top) with ((sub or minor virtual) adj channel)) with ((major or physical) adj channel)) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/29 15:09
S39	1	((((channel near2 (up or down increment\$3 or decrement\$3)) with ((highest or top) with ((sub or minor virtual) adj channel))) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/29 15:09
S40	1	((((channel near2 (up or down increment\$3 or decrement\$3)) with ((highest or top or largest) with ((sub or minor virtual) adj channel))) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/29 15:10

S41	2	((channel near2 (up or down increment\$3 or decrement\$3)) with (highest or top or largest or bottom or smallest or lowest) with ((sub or minor virtual) adj channel))) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/29 15:42
S42	8	((channel near2 (up or down increment\$3 or decrement\$3)) with (vct or (virtual adj channel adj table))) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/29 15:43
S43	22	((channel near2 (up or down increment\$3 or decrement\$3)) with ((sub or minor) adj channel))) and @ad<"20010131" and ("725"/\$.ccls. or "348"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/18 10:05
S44	1	@ad<"20010131" and ("725"/\$.ccls. or "348"/\$.ccls.) and (astc same (vct or (virtual adj channel adj table)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 11:33
S45	0	@ad<"20010131" and ("725"/\$.ccls. or "348"/\$.ccls.) and astc and (vct or (virtual adj channel adj table)) and (sub adj channel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 11:34
S46	1	@ad<"20010131" and ("725"/\$.ccls. or "348"/\$.ccls.) and astc and (vct or (virtual adj channel adj table))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 11:35
S47	23	@ad<"20010131" and ("725"/\$.ccls. or "348"/\$.ccls.) and atsc and (vct or (virtual adj channel adj table))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 11:35
S48	5	@ad<"20010131" and ("725"/\$.ccls. or "348"/\$.ccls.) and atsc and (vct or (virtual adj channel adj table)) and (sub adj channel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 11:35

S49	0	@ad< "20010131" and ("725"/\$.ccls. or "348"/\$.ccls.) and atsc and (vct or (virtual adj channel adj table)) and (sub adj channel) and ((up or upward or down or downward) near2 channel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 11:36
S50	5	@ad< "20010131" and ("725"/\$.ccls. or "348"/\$.ccls.) and atsc and (vct or (virtual adj channel adj table)) and (sub adj channel) and ((up or upward or down or downward) near3 channel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 11:36
S51	8	@ad< "20010131" and ("725"/\$.ccls. or "348"/\$.ccls.) and (((up or upward or down or downward) near3 channel) same (vct or (virtual adj channel adj table)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 11:39
S52	1	@ad< "20010131" and ("725"/\$.ccls. or "348"/\$.ccls.) and (((up or upward or down or downward) near2 channel) with no with information with stor \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 11:43
S53	8	@ad< "20010131" and ("725"/\$.ccls. or "348"/\$.ccls.) and (((up or upward or down or downward) near2 channel) with no with information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 11:45
S54	8	@ad< "20010131" and ("725"/\$.ccls. or "348"/\$.ccls.) and (((up or upward or down or downward) near2 channel) with (no or lack\$3 or missing) with information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 11:45
S55	29	@ad< "20010131" and ("725"/\$.ccls. or "348"/\$.ccls.) and (((up or upward or down or downward) near2 channel) same (stor \$3 with channel with (map or table)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 11:49

S56	5	@ad<"20010131" and ("725"/\$.ccls. or "348"/\$.ccls.) and atsc and (((up or upward or down or downward) near2 channel) same (stor\$3 with channel with (map or table)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 11:52
S57	1	@ad<"20010131" and ("725"/\$.ccls. or "348"/\$.ccls.) and atsc and (((up or upward or down or downward) near2 channel) same updat\$3 same (channel near2 (map or table)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 12:23
S58	96	@ad<"20010131" and ("725"/\$.ccls. or "348"/\$.ccls.) and atsc and (((up or upward or down or downward) near2 channel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 12:24
S59	5	@ad<"20010131" and ("725"/\$.ccls. or "348"/\$.ccls.) and atsc and (((up or upward or down or downward) near2 channel) same (physical or major) same (sub or minor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 12:25
S60	0	@ad<"20010131" and ("725"/\$.ccls. or "348"/\$.ccls.) and atsc and (((up or upward or down or downward) near2 channel) with all with information with (map or table))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 12:28
S61	1	@ad<"20010131" and ("725"/\$.ccls. or "348"/\$.ccls.) and atsc and (((up or upward or down or downward) near2 channel) and (no with information with (storage or memory)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 12:29
S62	27	@ad<"20010131" and ("725"/\$.ccls. or "348"/\$.ccls.) and atsc and (((up or upward or down or downward) with channel with (command or selection))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 12:30

S63	3	@ad<"20010131" and ("725"/\$.ccls. or "348"/\$.ccls.) and atsc and ((up or upward or down or downward) with channel with (command or selection)) and (vct or (virtual adj channel adj map))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 12:31
S64	6	@ad<"20010131" and ("725"/\$.ccls. or "348"/\$.ccls.) and atsc and ((up or upward or down or downward) with channel with (command or selection)) and (vct or (channel adj map))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 12:32
S65	1	@ad<"20010131" and ("725"/\$.ccls. or "348"/\$.ccls.) and atsc and (increment\$3 with (physical or major) with channel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 12:43
S66	3	@ad<"20010131" and ("725"/\$.ccls. or "348"/\$.ccls.) and atsc and (increment\$3 same (physical or major) same channel same (sub or minor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 12:46
S67	1	@ad<"20010131" and ("725"/\$.ccls. or "348"/\$.ccls.) and atsc and ((increment\$3 or increas \$3) same (up or down or upward or downward) same (physical or major) same channel same (sub or minor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 12:48
S68	5	@ad<"20010131" and ("725"/\$.ccls. or "348"/\$.ccls.) and ((upward or up or down or downward) with channel with remote) and ((frequency or major or physical) with (increas \$3 or increment\$3) with channel with (sub or minor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 12:54

S69	531	@ad<"20010131" and ("725"/\$.ccls. or "348"/\$.ccls.) and ((upward or up or down or downward) with channel with remote)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 12:55
S70	14	@ad<"20010131" and ("725"/\$.ccls. or "348"/\$.ccls.) and (((upward or up or down or downward) with channel with remote) same (minor or atsc))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 12:56
S71	18	@ad<"20010131" and ("725"/\$.ccls. or "348"/\$.ccls.) and (((upward or up or down or downward) with channel with (remote or control\$3)) same (minor or atsc))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 13:00
S72	4	S71 not S70	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 13:01
S73	7	@ad<"20010131" and ("725"/\$.ccls. or "348"/\$.ccls.) and (dynamic\$4 with updat\$3 with channel with (map or table))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 13:09
S74	7	@ad<"20010131" and ("725"/\$.ccls. or "348"/\$.ccls.) and (dynamic\$4 with updat\$3 with channel with (map or table or vct))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 13:10
S75	166	@ad<"20010131" and ("725"/\$.ccls. or "348"/\$.ccls.) and (updat\$3 with channel with (map or table or vct))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 13:12
S76	37	@ad<"20010131" and ("725"/\$.ccls. or "348"/\$.ccls.) and (updat\$3 with ((channel adj (map or table)) or vct))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 13:13

S77	1	@ad<"20010131" and ("725"/\$.ccls. or "348"/\$.ccls.) and (updat\$3 with ((channel adj (map or table)) or vct) with (up or down or upward or downward))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 13:14
S78	1	@ad<"20010131" and ("725"/\$.ccls. or "348"/\$.ccls.) and (updat\$3 with ((channel adj (map or table)) or vct) with command with (remote or control\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 13:15
S79	6	@ad<"20010131" and ("725"/\$.ccls. or "348"/\$.ccls.) and atsc and (updat\$3 with ((channel adj (map or table)) or vct))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 13:18
S80	13	@ad<"20010131" and ("725"/\$.ccls. or "348"/\$.ccls.) and (updat\$3 with ((channel adj (map or table)) or vct) with current\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 13:32
S81	0	@ad<"20010131" and ("725"/\$.ccls. or "348"/\$.ccls.) and (updat\$3 with ((channel adj (map or table)) or vct) with viewed)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 13:38
S82	12	@ad<"20010131" and ("725"/\$.ccls. or "348"/\$.ccls.) and (dynamic\$4 with ((channel adj (map or table)) or vct))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 13:38
S83	16	@ad<"20010131" and ("725"/\$.ccls. or "348"/\$.ccls.) and (modif\$4 with ((channel adj (map or table)) or vct))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 13:40
S84	0	@ad<"20010131" and ("725"/\$.ccls. or "348"/\$.ccls.) and (search\$3 with frequency with ((channel adj (map or table)) or vct))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 13:47

S85	1	@ad<"20010131" and ("725"/\$.ccls. or "348"/\$.ccls.) and (search\$3 with frequency with ((channel adj (map or table)) or vct))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 13:48
S86	24	@ad<"20010131" and ("725"/\$.ccls. or "348"/\$.ccls.) and (tun\$3 with frequency with ((channel adj (map or table)) or vct))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 13:51
S87	0	@ad<"20010131" and ("725"/\$.ccls. or "348"/\$.ccls.) and (((channel adj (map or table)) or vct) with missing with (memory or storage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 14:06
S88	116	@ad<"20010131" and ("725"/\$.ccls. or "348"/\$.ccls.) and (((channel adj (map or table)) or vct) with (memory or storage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 14:08
S89	0	@ad<"20010131" and ("725"/\$.ccls. or "348"/\$.ccls.) and (((channel adj (map or table)) or vct) with (memory or storage) with updat\$3 with current \$3 with tun\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 14:08
S90	4	@ad<"20010131" and ("725"/\$.ccls. or "348"/\$.ccls.) and (((channel adj (map or table)) or vct) with (memory or storage) with (updat\$3 or modif \$5) with current\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 14:09

4/ 9/ 2008 4:44:58 PM

C:\Documents and Settings\jshepard\My Documents\EAST\Workspaces\vct_10058149.wsp